Carbohydrate Research, 211 (1991) c7–c8
Elsevier Science Publishers B.V., Amsterdam

AUTHOR INDEX

Albersheim, P., 117
Anthonsen, M. W., 17
Attal, S., 327

Batta, G., 173
Baumann, H., 183
Bock, K., 219
Bonas, G., 191
Brown, B. J., 91
Bundle, D. R., 59

Cantacuzene, D., 327
Chapelle, S., 279
Cherniak, R., 103
Chin, J., 245
Cicero, D., 295
Claesson, A., 1
Csöregh, I., 1

Darvill, A. G., 117
De Bruyn, A., 131
De Lederkremer, R. M., 295
Duus, J. Ø., 219

Eichler, E., 59

Farkas, I., 173
Fügedi, P. 157

Garegg, P. J., 157
Gómez-Guillén, M., 287
Grasdalen, H., 17
Gray, G. R., 41, 47, 309
Griesgraber, G. W., 41, 47
Griffith, M. H. E., 163

Hasegawa, A., c1
Hatanaka, K., 333
Hindsgaul, O., 163
Hisamatsu, M., 117

Impallomeni, G., 117
Ishida, H., c1
Izawa, T., 137

Jansson, P.-E., 183
Just, G., 245

Kamerling, J. P., 25, 261
Kawai, S. H., 245
Kawakishi, S., 167
Kenne, L., 183
Kihlberg, J., 59
Kiso, M., c1
Kiyohara, H., 77
Kobs, S. F., 317, 337
Kondo, S., 137
Kong, F., 179

Lassaletta Simon, J. M., 287
Luthman, K., 1

Maas, A. A. M., 25
Mayer, R. M., 317

Nagumo, T., 77
Nishimura, Y., 137
Nishino, T., 77
Norsman, B., 219

Ogawa, S., 147
Orbe, M., 1
Oscarson, S., 157

Papp, E., 173
Pedersen, S., 219
Pérez, S., 191
Prabhanjan, H., c1
Preston, III, J. F., 91

Rosén, G., 157

Serianni, A. S., 207
Shibata, Y., 147
Silwanis, B. A., 157
Singh, A. K., 235
Singh, B., 235
Singh, H. S., 235
Slaghek, T. M., 25
Smidsrød, O., 17
Somsák, L., 173
Sugawa, I., 147

Tsunehiro, J., 167
Turner, S. H., 103

Uchida, K., 167
Uryu, T., 333

Van Loo, J., 131
Van Steijn, A. M. P., 261
Varela, O., 295

Varum, K. M., 17
Verchère, J.-F., 279
Vignon, M. R., 191
Vliegenthart, J. F. G., 25, 261
Wåglund, T., 1
Widmalm, G., 183
Wu, J., 207
Yamada, H., 77
Yang, G., 179
York, W. S., 117
Yoshida, T., 333
Yoshida, Y., 333
Zeller, S. G., 41, 47, 309
Zhou, S., 179

Carbohydrate Research, 211 (1991) c9–c11
Elsevier Science Publishers B.V., Amsterdam

SUBJECT INDEX

Affinity-immobilized dextransucrase from *Streptococcus sanguis*, acceptor activity of, 337
Alginate lyase from a marine bacterium associated with *Sargassum*, L-gulururonan-specific, 91
3-*O*-Allylation and 3-*O*-benzylation of methyl α-D-manno-, α-L-rhamno-, and β-L-fuco-pyranoside, selective, 179
Amadori compounds, autoxidative degradation in the presence of copper ion, 167
3-Amino-4-*C*-phenyl-D-altrohexofuranose and 3-amino-5-*C*-[3-carboxy-4-(carboxymethyl)-2-oxo-3-cyclohexen-1-yl]-D-altrofuranose, possible intermediates for synthesis of the anthracycline antibiotic decilorubicin, 137
Analysis of positions of substitution of *O*-carboxymethyl groups in partially *O*-carboxymethylated cellulose by the reductive-cleavage method, 41
Analysis of a pyruvic acid acetal-containing polysaccharide by the reductive-cleavage method, 309
Anhydrodeoxyribose derivatives, synthesis of polymerizable, 333
2,6-Anhydrohept(hex)-2-enononitriles (1-cyano-2-hydroxyglycals), preparation of acetylated, 173
Antibody binding site probes, the design and synthesis of, three pentasaccharide analogues of the *Brucella* A antigen prepared by activation *in situ* of thioglycosides with bromine, 59
Anticoagulant fucan sulfate, structure of a new, 77
Antigen, *Brucella* A, three pentasaccharide analogues of the, prepared by activation *in situ* of thioglycosides with bromine; antibody binding site probes, the design and synthesis of, 59
Assignment of structures to oligosaccharides produced by enzymic degradation of a β-D-glucan from barley by ^{1}H- and ^{13}C-n.m.r. spectroscopy, 219
Autoxidative degradation of Amadori compounds in the presence of copper ion, 167

3-*O*-Benzylation and 3-*O*-allylation of methyl α-D-manno-, α-L-rhamno-, and β-L-fuco-pyranoside, selective, 179
Branched-chain thiosugars: temperature effects in the acetolytic deacetalation of furanose sugars, 245
Brucella A antigen, three pentasaccharide analogues of the, prepared by activation *in situ* of thioglycosides with bromine; antibody binding sites probes, the design and synthesis of, 59

CASPER, Structural studies of the *Escherichia coli* OIA O-polysaccharide, using the computer program, 183
Cellulose, partially *O*-carboxymethylated, analysis of positions of substitution of *O*-carboxymethyl groups in, by the reductive-cleavage method, 41
Chitosans, determination of the degree of *N*-acetylation and the distribution of *N*-acetyl groups in chitosans by high-field n.m.r. spectroscopy, 17
Conformational analysis of isopropylidene-protected *C*-glycosyl derivatives of 3-deoxy-D-*manno*-2-octulosonic acid (Kdo) in the solid state and in solution, 1
Conformation of a cyclic trisaccharide from high-resolution n.m.r. spectroscopy and molecular modelling, structure and solution, 191
Cryptococcus neoformans serotype B, a glucoronoxylomannan of, structural analysis by gas-liquid chromatography–mass spectrometry and ^{13}C-nuclear magnetic resonance spectroscopy, 103
Cyclodehydration of 3-(D-*galacto*-pentitol-1-yl)-pyrazoles, synthesis of 3-(D-lyxofuranosyl)pyrazoles by trifluoroacetic acid-catalysed, 287

Deacetalation, acetolytic, of furanose sugars, branched-chain thiosugars: temperature effects in the, 245
Decilorubicin, 3-Amino-5-*C*-phenyl-D-altrohexofuranose and 3-amino-5-*C*-[3-carboxy-4-(carboxymethyl)-2-oxo-3-cyclohexen-1-yl]-D-altrofuranose, possible intermediates for synthesis of the anthracycline antibiotic, 137
Determination of the degree of *N*-acetylation and the distribution of *N*-acetyl groups in chitosans by high-field n.m.r. spectroscopy, 17
Dextransucrase, affinity-immobilized, form *Streptococcus sanguis* acceptor activity of, 337
Dextransucrase from *Streptococcus* sanguis, photolabeling of, with *p*-azidophenyl α-D-glucopyranoside, 317
Displacement-reactions of the 4-sulfonyloxy group in derivatives having the *D*-manno configuration, nucleophilic, 295

Ecklonia kurome, structure of fucan sulfate from, 77

Enzymic synthesis of galactopyranosyl-L-serine derivatives using galactosidases, 327

Fucan sulfate from *Ecklonia kurome*, structure of, 77
α-L-Fucosyl residues, a new undecasaccharide subunit of xyloglucans, with two, 117

Galactopyranosyl-L-serine derivatives, enzymic synthesis using galactosidases, 327
Galactosidases, enzymic synthesis of galactopyranosyl-L-serine derivatives using, 327
Ganglioside GM1b and its positional analog, facile total synthesis, 337
Gas-liquid chromatography–mass spectrometry and ^{13}C-nuclear magnetic resonance spectroscopy, structural analysis by, of a glucuronoxylomannan of *Cryptococcus neoformans* serotype B, 103
D-Glucitol, 4-*O*-acetyl-1,5-anhydro-2,3,6-tri-*O*-(methoxycarbonylmethyl)- and the positional isomers of 4-*O*-acetyl-1,5-anhydro-di-*O*-(methoxycarbonylmethyl)-*O*-methyl-D-glucitol and 4-*O*-acetyl-1,5-anhydro-*O*-(methoxycarbonylmethyl)-di-*O*-methyl-D-glucitol, synthesis and mass spectra of, 47
(D-Glucopyranosyl 5a-carba-D- and -L-glucopyranoses), synthesis of pseudolaminarabiose, -cellobiose, and -maltose, 147
Glucuronoxylomannan of *Cryptococcus neoformans* serotype B: structural analysis by gas-liquid chromatography–mass spectrometry and ^{13}C-nuclear magnetic resonance spectroscopy, 103
Glycoside synthesis, use of glycosyl 1-piperidinecarbodithiosates in, 157
Glycosyl derivatives of 3-deoxy-D-*manno*-2-octulosonic acid (Kdo) in the solid state and in solution, conformational analysis of isopropylidene-protected *C*-, 1
Glycosyl 1-piperidinecarbodithioates in the synthesis of glycosides, 157
L-Gulururonan-specific alginate lyase from a marine bacterium associated with *Sargassum*, 91

Hept(hex)-2-enononitriles, preparation of acetylated 2,6-anhydro-, 173

(Kdo) in the solid state and in solution, conformational analysis of isopropylidene-protected *C*-glycosyl derivatives of 3-deoxy-D-*manno*-2-octulosonic acid, 1

Mass spectra and synthesis of 4-*O*-acetyl-1,5-anhydro-2,3,6-tri-*O*-(methoxycarbonylmethyl)-D-glucitol and the positional isomers of 4-*O*-acetyl-1,5-anhydro-di-*O*-(methoxycarbonylmethyl)-*O*-methyl-D-glucitol and 4-*O*-acetyl-1,5-anhydro-*O*-(methoxycarbonylmethyl)-di-*O*-methyl-D-glucitol, 47
Mechanism of oxidation of reducing sugars by osmium tetraoxide in alkaline medium by the stopped-flow technique, 235

N.m.r. spectroscopy, assignment of structures to oligosaccharides produced by enzymic degradation of a β-D-glucan from barley by ^{1}H- and ^{13}C-, 219
N.m.r. spectroscopy, determination of the degree of *N*-acetylation and the distribution of *N*-acetyl groups in chitosans by high-field, 17
N.m.r. spectroscopy, identification of sucrose, 1-kestose, and neokestose in mixtures present in plant extracts by ^{1}H- and ^{13}C-, 131
^{13}C-N.m.r. study of the tungstate and molybdate complexes of perseitol, galactitol, and D-mannitol, 279
^{13}C-Nuclear magnetic resonance spectroscopy and gas-liquid chromatography–mass spectrometry, structural analysis by, of a glucoronoxylomannan of *Cryptococcus neoformans* serotype B, 103
Nucleophilic displacement-reactions of the 4-sulfonyloxy group in derivatives having the D-*manno* configuration, 295

Observation of a stable orthoacyl fluoride in the reaction of a reducing sugar with diethylamino sulfur trifluoride, 163
Oligosaccharides produced by enzymic degradation of a β-D-glucan from barley, assigment of structures by ^{1}H- and ^{13}C-n.m.r. spectroscopy, 219
Orthoacyl fluoride in the reaction of a reducing sugar with diethylamino sulfur trifluoride, observation of a stable, 163
Osmium tetraoxide in alkaline medium by the stopped-flow technique, mechanism of oxidation of reducing sugars by, 235
Oxidation of reducing sugars by osmium tetraoxide in alkaline medium by the stopped-flow technique, mechanism of, 235

D-Pentofuranuronic acids, ring-opening kinetics (anomerization), 207
Phosphate-containing "heptasaccharide" fragments of the capsular polysaccharides of *Streptococcus pneumoniae* types 6A and 6B, synthesis of two, 25
Photolabeling of dextransucrase from *Streptococcus sanguis* with *p*-azidophenyl-α-D-glucopyranoside, 317
1-Piperidinecarbodithioates in the synthesis of glycosides, use of glycosyl, 157
Plant extracts, identification by ^{1}H- and ^{13}C-n.m.r. spectroscopy of sucrose, 1-kestose, and neokestose in mixtures present in, 131

Polymerizable anhydrodeoxyribose derivatives, synthesis of, 333
Polysaccharide, analysis of a pyruvic acid acetal-containing, by the reductive-cleavage method, 309
Polysaccharide of *Streptococcus pneumoniae* type 23F, synthesis of a spacer-containing repeating unit of the capsular, 261
Polysaccharide, structural studies of the *Escherichia coli* OIA using the computer program CASPER, 183
Possible intermediates for synthesis of the anthracycline antibiotic decilorubicin, 3-amino-5-*C*-phenyl-D-altrohexofuranose and 3-amino-5-*C*-[3-carboxy-4-(carboxymethyl)-2-oxo-3-cyclohexen-1-yl]-D-altrofuranose, 137
Preparation of acetylated 2,6-anhydrohept(hex)-2-enononitriles (1-cyano-2-hydroxyglycals), 173
Pseudo-laminarabiose, -cellobiose, and -maltose (D-glucopyranosyl 5a-carba-D- and -L-glucopyranoses), synthesis of, 147
Pyrazoles, synthesis of 3-(D-lyxofuranosyl)-, by trifluoroacetic acid-catalysed cyclodehydration of 3-(D-*galacto*-pentitol-1-yl)pyrazoles, 287
Pyruvic acid acetal-containing polysaccharide, analysis of a, by the reductive-cleavage method, 309

Reducing sugar, formation of a stable orthoacyl fluoride in the reaction with diethylamino sulfur trifluoride, 163
Reductive-cleavage method, analysis of positions of substitution of *O*-carboxymethyl groups in partially *O*-carboxymethylated cellulose by the, 41
Reductive-cleavage method, analysis of a pyruvic acid acetal-containing polysaccharide, by the 309
Ring-opening kinetics of the D-pentofuranuronic acids, 207

Sargassum, L-gulururonan-specific alginate lyase from a marine bacterium, associated with, 91
Streptococcus pneumoniae type 23F, synthesis of a spacer-containing repeating unit of the capsular polysaccharide of, 261
Streptococcus pneumoniae types 6A and 6B, synthesis of two phosphate-containing "heptasaccharide" fragments of the capsular polysaccharides of, 25
Structural studies of the *Escherichia coli* OIA O-polysaccharide, using the computer program CASPAR, 183
Structure and solution conformation of a cyclic trisaccharide from high-resolution n.m.r. spectroscopy and molecular modelling, 191
Sucrose, 1-kestose, and neokestose in mixtures present in plant extracts, identification by ^{1}H- and ^{13}C-n.m.r. spectroscopy, 131
4-Sulfonyloxy group in derivatives having the D-*manno* configuration, nucleophilic displacement-reactions of the, 295
Synthesis and mass spectra of 4-*O*-acetyl-1,5-anhydro-2,3,6-tri-*O*-(methoxycarbonylmethyl)-D-glucitol and the positional isomers of 4-*O*-acetyl-1,5-anhydro-di-*O*-(methoxycarbonylmethyl)-*O*-methyl-D-glucitol and 4-*O*-acetyl-1,5-anhydro-*O*-(methoxycarbonylmethyl)-di-*O*-methyl-D-glucitol, 47
Synthesis of 3-(D-lyxofuranosyl)pyrazoles by trifluoroacetic acid-catalysed cyclodehydration of 3-(D-*galacto*-pentitol-1-yl)pyrazoles, 287
Synthesis of polymerizable anhydrodeoxyribose derivatives, 333
Synthesis of pseudo-laminarabiose, -cellobiose, and -maltose (D-glucopyranosyl 5a-carba-D- and -L-glucopyranoses), 147
Synthesis of a spacer-containing repeating unit of the capsular polysaccharide of *Streptococcus pneumonia* type 23F, 261
Synthesis of two phosphate-containing "heptasaccharide" fragments of the capcular polysaccharides of *Streptococcus pneumoniae* types 6A and 6B, 25

Thiosugars, branched-chain, temperature effects in the acetolytic deacetalation of furanose sugars, 245
Trisaccharide from high-resolution n.m.r. spectroscopy and molecular modelling, structure and solution conformation of a cyclic, 191
Tungstate and molybdate complexes of perseitol, galactitol, and D-mannitol, a ^{13}C-n.m.r. study of the tungstate and molybdate complexes of, 279

Xyloglucans, a new undecasaccharide subunit of, with two α-L-fucosyl residues, 117